




Semi-Autonomous Robotics



- Expand the Battlespace
- Enhance Force Survivability
- Increase Deployability Reduce Footprint






Pathway to Advancing Ground Robotics Technology



- Rapidly develop, test, and transition technology
- Substantially increase performance levels
- Focus research
 - perception intelligent control & behaviors man-machine-interface
 - small, reliable, modular autonomous mobility technology packages
 - multi-mission, multi-platform application
- Get technology out to the field
 - data collection
 - quantitative engineering tests
 - functional testing with soldiers
- Provide new options for light, deployable and survivable systems
 - Multi-mission capable
 - Acceptable soldier workload



Early troop experimentation with advanced robotics technology critical for the Objective Force



Achieving Autonomous Mobility



- Technology Development
 - ARL Robotics Collaborative Technology Alliance
 - Industrial/academic consortium collaborating with ARL and other Government laboratories
 - Long-term commitment to continued research
 - Demo III Program
 - Technology development, integration, and field experimentation
 - Demo III XUV Autonomous Mobility Testbeds the world's most advanced UGVs for unstructured environments
 - Troop participation in field experiments to focus future research

Army Programs

- Robotic Follower ATD
 - "Lower Risk" approach for autonomous mobility
 - Rapid insertion into future combat systems
 - Technology focus on perception
- Semi-Autonomous Robotics for FCS STO
 - Focus on autonomous mobility application to multiple missions
 - Development of robust tactical behaviors



DEMO III Unmanned Ground Vehicle Program



Modeling/Simulation & Experimentation

- Constructive modeling
- Virtual Simulations
- Live Experimentation

Technology Development

- Perception
- Intelligent Control
- Soldier-Machine Interface

Multi-mission XUVs (FTIG) **Technology** PDR CDR **Field Exercise** Integration **DEMO IIIB DEMO IIIA** RST/SAIC/Sarnoff Two Demo III Two Demo III **Multi-mission XUVs XUVs** (APG) (Ft. Knox) **FYs** 97 98 01 02 03 99 00

Performance Goals:

10mph daytime x-country mobility, two vehicles

20mph daytime x-country mobility

multi-vehicle collaborative operations in complex terrain, four vehicles

DEMO III Four Demo III

Multi-mission collaborative operations

Field Exercise




Demo III Technical Activities



Technology Development



- Sensors
- Perception Algorithms
- World Model
- Planning Algorithms
- Soldier-Machine Interface



Engineering Evaluations Quantitative System Characterization



Data Collection

Develop new capabilities by getting out into the field to find out what we don't know




Troop Operation & Feedback
Exercise technology with troops on realistic terrain





Autonomous Mobility Sensors








4-D/RCS REFERENCE ARCHITECTURE








AM World Model - Demo III Bravo



Multi-Resolution Maps



North Oriented Vehicle Centered

Prim

- 0.4 m grid
- 40 m wide
- Obstacles, elevation, unknowns

AM

- 0.4 m grid
- 120 m wide
- Obstacles

Section

- A-priori data, UTM referenced
- Level 2 DTED 30 meter grid
- Elevation, roads, vegetation, etc.







- Single soldier managing multiple vehicles
- DTED level II database employed for planning
- Overlay of cultural & tactical features
- Military symbology
- Automated planning algorithms
- 16" diagonal LCD with NEMA 12 enclosure
- Multi-position swing arm for LCD
- Rugged keyboard
- Electronics box is shock mounted









Robotic Follower ATD

(STO III.GC.2000.04)



Lower Risk Ground Mobile Robotics Technology Development Program to Support FCS









Technology Barriers

- Perception capabilities
- On-board intelligence for autonomy

Solution Approach

- Manned leader "proofs" path to reduce perception & intelligence requirements
- Rapidly mature & integrate perception technology to enable higher speed & enhanced decision-making capabilities
- Successively demonstrate maturing capability for FCS

Mature & Demonstrate Robotics Technology Required for Early Insertion Into FCS



Semi-Autonomous Robotics for FCS

(IV.GC.2001.03)



Objective: Develop the technology required to put unmanned ground vehicles out front, increasing operational reach and enhancing survivability

Program Goals

- Develop baseline "hand-coded" tactical behaviors for "Preceder" missions
- 35/40 MPH day, cross-country mobility for FCS companion scale vehicle – FY05
- Adaptive tactical behaviors for scout mission – FY05

Pacing Technologies

- Perception/Navigation
- Intelligent control/behaviors
- Soldier-machine interface



Warfighter Payoffs

- Increased force effectiveness and survivability
- Increased freedom of maneuver fewer operational risks


Robots out front - leading the way - in harm's way - increasing force effectiveness



Building the foundation for future ground robotic systems



- Perception
- Intelligent control
- Tactical behaviors
- C2 for mixed forces





- Negotiate complex terrain at tactical speeds
- Complete terrain understanding to support tactical behaviors
- Increased autonomy based upon commander's intent
- Adaptive reasoning based upon mission, terrain, opponents, and friendly forces